


Termék adatlap

PPS Q6004 integrációs játékkészlet



Alumínium négyzet
profil
90 x 90



A játszóeszköz elemei


1. Négyzet alakú platformmal ellátott torony tető nélkül, h = 30 cm – 3 db
2. Négyzet alakú platformmal ellátott torony tető nélkül, h = 60 cm – 1 db
3. Négyzet alakú platformmal ellátott torony tetővel, h = 90 cm – 1 db
4. Ferde íves híd – 2 db
5. Íves híd – 1 db
6. Kötélhíd – 1 db
7. Kerekesszékes rámpa – 2 db
8. Csúszda (h = 90 cm) – 1 db
9. Íves mászófal – 1 db
10. Mászófal – 1 db
11. „Bolt” edukációs panel – 1 db
12. „Amőba” edukációs panel – 1 db
13. „Méh” edukációs panel – 1 db

Műszaki adatok

- **Korosztály:** 3+
- **Szabad esési magasság:** 90 cm

Biztonsági zóna:

- Méret: 1314 × 1358 cm
- Terület: 99,0 m²
- **Pótalkatrész elérhetőség:** IGEN
- **Szabvány szerinti megfelelés:** PN-EN 1176-1, PN-EN 1176-3 – IGEN



Szerelés:

A készletet a földbe kell telepíteni. C20/25 betonnal készült alapozások.

Csúszdát tartalmazó készleteknél ügyeljen az elhelyezésre a világtájakhoz viszonyítva, mert a nap felmelegíti a csúszdát. A csúszdát nem ajánlott délre szerelni.

Elfogadható ütécscillapító felületek és minimális vastagságuk

Material ^a	Description [mm]	Minimum depth ^b [cm]	Maximum free heights of fall [cm]
Turf/topsoil		-	≤ 100 ^d
Bark	20 to 80 particle size	20	≤ 200
		30	≤ 300
Woodchip	5 to 30 particle size	20	≤ 200
		30	≤ 300
Sand or gravel ^c	0,25 to 8 grain size	20	≤ 200
		30	≤ 300
Other materials	As tested according to EN 1177		Critical fall height as tested

^a For further information on specific material properly prepared for use in children's playgrounds

^b For loose particulate material, add 100 mm to the minimum depth to compensate for displacement(see 4.2.8.5.1).

^c Sand and gravel shall be well rounded and washed to eliminate most of the silt or clay particles. Washed sand and gravel is considered to be from alluvial (natural eroded) deposits and free from most silt or clay particles. For gravel this may commonly be described as 'pea shingle'. Uniformity coefficient $D_{60}/D_{10} < 3,0$. Grain size can be identified by use of a sieve test, as in EN 933-1(see Annex G)

^d See NOTE 2 in 4.2.8.5.2