The adapted Turtle (age 3-12 years)

Ref. KZM4008

EN-1176-1:2018+A1:2023
EN-1176-3: 2017

SERIE ANIMALS SERIES

special projects









MULTIGAMES THEMED AREAS

kiwi playgrounds

C/Foia, 13
P.I.Alquería
de Moret
46210 Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com

kiwiplaygrounds.com

The company reserves the right to perform any modification or change in their products.

The adapted Turtle (age 3-12 years)

Ref. KZM4008

EN-1176-1:2018+A1:2023
EN-1176-3: 2017

SERIE ANIMALS SERIES

special projects

Technical information

Animal: Build in polyester painted by mass, with gel-coat of predominant colour and anti-graffiti treatment.

Surface: Stepable zone realized in high resistance continuous wet-pour rubber surfacing (EPDM).

Anchoring: Galvanized Steel for mounting on concrete foundation.

Interior: Accessible interactive game.


Technical data


Assembly: 2 pers. 4 hours.
Weight: 500 Kg.
Total high: 2,4 m.
Free fall height: 1,00 m.
Safety area: 53,88 m².
Biggest element dimensions: 3 m.
Spare parts disponibility: 3 years.

kiwi playgrounds
C/Foia, 13
P.I.Alquería de Moret
46210 Picanya (Valencia)
+34 963 313 677
kiwi@kiwipw.com
kiwiplaygrounds.com

The company reserves the right to perform any modification or change in their products.

Safety area: 53,88 m²





MULTIGAMES THEMED AREAS

SERIE ANIMALS SERIES
special projects

Installation:

Anchored to the concrete floor with expansion bolts all around the perimeter using the base tab. Finished with compacted material coating either continuous wet-pour rubber surfacing or rubber tiles.


Maintenance:

Checking: all fixing points, screws and bolts must be periodically checked and tightened again if necessary. The checking date must be annotated in order to establish a control.


Inspections.

1. Routine visual inspection. An eye and functional inspection will be performed to verify that you have not suffered any vandalism damage.
2. Functional inspection. This inspection will be carried out with a periodicity of 1 to 3 months and attention should be paid to the components "sealed for life" and the equipment whose stability depends on a post.
3. Annual inspection. A complete inspection of the whole set will be carried out in order to verify that it meets all the sections of the standard and that it has not been modified.

Concrete slab dimensions



Anchoring details



1 animal
2 base tab
3 playpen Surface
4 rubber
5 concrete foundation's upper layer
6 concrete slab

MULTIGAMES THEMED AREAS

kiwi playgrounds
C/Foia, 13
P.I.Alquería de Moret
46210 Picanya
(Valencia)
+34 963 313 677
kiwi@kiwipw.com
kiwiplaygrounds.com

The company reserves the right to perform any modification or change in their products.