The Worm (age 3-12 years)

Ref. KZM3001

Last check:11/11/2024

EN-1176-1: 2018+A1:2024
EN-1176-2: 2018+AC:2020
EN-1176-3: 2018

SERIE ANIMALS SERIES

special projects



Technical data.

Assembly: 4 pers. 4 hours.

Weight: 1.000 Kg.

Total high: 2,35 m.

Free fall height: 1,35 m.

Safety area: 62,54 m².

Biggest element dimensions: 4,30 m.

Spare parts disponibility: 3 years.

MULTIGAMES THEMED AREAS

Technical information

Animal: Build in polyester painted by mass, with gel-coat of predominant colour and anti-graffiti treatment.

Screws: On galvanized steel.

Bindings: In polyester with fiberglass reinforcement. to screw on foundation.

kiwi playgrounds

C/ Foia, 13
P.I. Alqueria de Moret
46210 Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com


kiwiplaygrounds.com


The company reserves the right to perform any modification or change in their products.

SERIE ANIMALS SERIES
special projects


Note: The separation and orientation of the different elements, head, body and tail, can vary, as long as the necessary safety areas of each element do not conflict. Consult possible alternatives.


Total safety area: 62,54 m²





General dimensions (in meters).





MULTIGAMES THEMED AREAS

kiwi playgrounds

C/ Foia, 13
P.I. Alquería
de Moret
46210 Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com

kiwiplaygrounds.com


The company reserves the right to perform any modification or change in their products.

SERIE ANIMALS SERIES
special projects


Components of the game (by references).




Ref. C00101
Worm/snake head with tunnel



Ref. C00401
Double swing arch




Ref. C00402
Rope mesh arch



Ref. C00502
Worm tail

Foundation dimensions for a straight distribution of the elements.
For other distributions, consult us.




Installation.
Screwed to concrete floor using expansion plugs or threaded rod and epoxy. Finished with compacted material coating either continuous wet-pour rubber surfacing or rubber tiles.

Maintenance:
Checking: all fixing points, screws and bolts must be periodically checked and tightened again if necessary. The checking date must be annotated in order to establish a control.

Inspections:
1. Routine visual inspection. An eye and functional inspection will be performed to verify that you have not suffered any vandalism damage.
2. Functional inspection. This inspection will be carried out with a periodicity of 1 to 3 months and attention should be paid to the components "sealed for life" and the equipment whose stability depends on a post.
3. Annual inspection. A complete inspection of the whole set will be carried out in order to verify that it meets all the sections of the standard and that it has not been modified.

Anchoring detail



1 Animal.
2 Tab.
3 Playing surface.
4 Rubber.
5 Foundation's upper layer.
6 Foundation.

MULTIGAMES THEMED AREAS

kiwi playgrounds

C/ Foia, 13
P.I. Alqueria de Moret
46210 Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com

kiwiplaygrounds.com

The company reserves the right to perform any modification or change in their products.