The Spider (ages 6-12 years)

Ref. KPE 1015

Last updated: 11/11/2025

EN-1176-1: 2018+A1:2024
EN-1176-2: 2018+AC:2020
EN-1176-3: 2018

SERIE ANIMALS SERIES
special projects

Technical details.

Assembly: 3 people, 16 hours.

Weight: 1500 kg

Total height: 4.25 m

Free fall height: 2.9 m

Safety zone: 115 m².

Largest part size:5 x 2.3 x 1.2 m.

Spare parts available for: 3 years



THEMED MULTI-PLAY ZONES

kiwi playgrounds

C/ Foia, 13 P.I.
Alquería de
Moret 46210
Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com

kiwiplaygrounds.com


The company reserves the right to make changes or modifications to its products at any time.

Technical information.

Animal: Crafted from fiberglass and colored throughout, finished with a gel-coat in the main color and anti-graffiti protection.

Hardware: Galvanized steel

Fastenings: Made of zinc-coated steel reinforced with fiberglass for installation on concrete foundations. Includes 8 metal supports designed to be securely anchored to concrete.



The Spider (ages 6-12)

Ref. KPE 1015


Last reviewed on 11/11/2025


EN-1176-1: 2018+A1:2024
EN-1176-2: 2018+AC:2020
EN-1176-3: 2018

SERIE ANIMALS SERIES special projects

Safety Area: 115 m²


Maximum dimensions body (m)





Note

The spacing and orientation of the two elements, head and body, may be adjusted as long as the required safety zones for each part are not compromised. Please ask about possible alternatives.



kiwi playgrounds

C/ Foia, 13
P.I. Alquería de
Moret 46210
Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com

kiwiplaygrounds.com

The company reserves the right to make changes or modifications to its products at any time.

The Spider (ages 6-12)

Ref. KPE 1015

Last review 11/11/2025

EN-1176-1: 2018+A1:2024
EN-1176-2: 2018+AC:2020
EN-1176-3: 2018

SERIE ANIMALS SERIES special projects

Installation.

Fasten to the concrete base using expansion anchors or threaded rod with epoxy. Finish with a compacted material layer, such as poured rubber or tiles.


Maintenance.

-Inspection: All fastenings, screws, and bolts must be checked regularly. If needed, tighten and adjust them, and record the date for tracking purposes.

Inspections.

1. Routine visual inspection. Perform a visual and functional check to ensure there is no damage from vandalism.
2. Functional inspection. This check should be carried out every 1 to 3 months, paying special attention to “lifetime sealed” components and equipment that rely on a post for stability.
3. Annual inspection. Conduct a thorough examination of the entire set to verify compliance with all standards and ensure no modifications have occurred.

Maximum head dimensions (m.)



Anchoring Details

1. The anchoring details can be found in the assembly instructions.

kiwi playgrounds

C/ Foia, 13
P.I. Alqueria
de Moret
46210 Picanya
(Valencia)

+34 963 313 677

kiwi@kiwipw.com

kiwiplaygrounds.com

The company reserves the right to make changes or modifications to its products at any time.

1 Animal.
2Tongue.
3Play surface.
4Rubber.
5Top of the base slab.
6Concrete slab.